

Mid Creek Water HS

RECEIVED-WATER SUPER 2010 JUN 18 PM 7: 09

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

580070 #0580021 性073002 List PWS ID #8 for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public

water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Please Answer the Following Questions Regarding the Consumer Confidence Report Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper On water bills On water bills Other posted in Labby of Office Date customers were informed: CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed: / / CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Date Published: 6 //6/10 CCR was posted in public places. (Attach list of locations) Lobby of Office X CCR was posted on a publicly accessible internet site at www. **CERTIFICATION** I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. 6-7-10 Date

Zhone: 601-576-7518

570 East Woodrow Wilson Post Office Box 1700 Jackson, MS 39215-1700 601-576-8090 1-866-HLTHY4U www.HealthyMS.com

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215

RECTIVED-WATER SUMP

2009 Annual Drinking Water Quality Report Mud Creek Water Association PWS#: 0580020, 0580021 & 0730026 June 2010

2010 JUN -7 AM 9: 09

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Ripley Formation & Eutaw - McShan Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Mud Creek Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Janice Russell, Office Manager at 662.489.6851. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our annual meeting scheduled for Saturday, October 9th at 8:00 AM at 7360 HWY 346, Pontotoc.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000 PWS IS # 580020 TEST RESULTS Contaminant Violation Date Level Range of Detects or Unit MCLG MCL Likely Source of Collected # of Samples Y/N Detected Measure Contamination Exceeding -ment MCL/ACL **Inorganic Contaminants** 8. Arsenic Ν 2006* 1.2 No Range daa n/a Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes 10. Barium Ν 2006* .015 No Range 2 Discharge of drilling wastes; ppm discharge from metal refineries; erosion of natural deposits 13. Chromium 2006* N 1.3 No Range 100 100 Discharge from steel and pulp ppb mills; erosion of natural deposits 14. Copper Ν 2007* .9 0 Corrosion of household plumbing ppm 1.3 AL=1.3 systems; erosion of natural deposits; leaching from wood preservatives 16. Fluoride Ν 2006* 1.97 No Range 4 ppm Erosion of natural deposits; water

		2009	72			 MDRL = 4	
Disinfecti	on Bv-]	Product	s				
17. Lead	N	2007*	4	0	ppb	0 AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
20. Nitrite (as Nitrogen)	N	2008	.02	No Range	ppm	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
							additive which promotes strong teeth; discharge from fertilizer ar aluminum factories

PWS ID # 580021 Contaminant Violation				Range of Detects of		MCLG	MCL		Likely Source of
	Y/N	Collected	Detected	# of Samples Exceeding MCL/ACL	Measure -ment				Contamination
Inorganic	Contam	inants							
10. Barium	N	2006*	.186	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries erosion of natural deposits	
13. Chromium	N	2006*	1	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposit	
14. Copper	N	2008*	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride	N	2006*	.160	No Range	ppm	4	4	Erosion of natural deposits; wat additive which promotes strong teeth; discharge from fertilizer a aluminum factories	
17. Lead	N	2008*	5	0	ppb	0	AL=15	Corrosion of household plumbir systems, erosion of natural deposits	
21. Selenium	N	2006*	1.4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natu deposits; discharge from mines	
Disinfectio	n By-Pr	oducts							
Chlorine			.05 .1	7 – 2.05 ppn	1	0 MDF		ater additive us	sed to control

PWS ID # '	730026			TEST RESUI	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG		MCL	Likely Source of Contamination
Microbiolo	gical Co	ontamin	ants						
Total Coliform Bacteria	N Y	January July	Positive Positive	1 3	NA	0	ba	presence of coliform bacteria in 5% of monthly samples	
Inorganic (Contami	inants							
10. Barium	N	2006*	.009	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2006*	1	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2007*	1.3	0	ppm	1.3	AL=1.3	Compains of b	ousehold plumbing

								systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2006*	1.13	No Range	ppm	4	1	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2007*	4	0	ppb	() AL=1	15 Corrosion of household plumbing systems, erosion of natural deposits
Disinfect	ion By-	Product	ts					
Chlorine	N	2009	3.5	.2 – 3.5	ppm	0 M		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2009.

Microbiological Contaminants:

(1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

In January 2009 our system # 0730026 pulled a sample containing Total Coliform. In cooperation with the Mississippi Department of Health, the necessary measures were taken to return the system to compliance. We are pleased to report that the re-samples for January were free of the bacteria. We have learned through our monitoring and testing that some constituents have been detected however the EPA determined that your water IS SAFE at these levels.

We routinely monitor for the presence of drinking water contaminants. We tool 5 samples during July 2009. 3 of those samples hoed the presence of coliform bacteria. We cleaned up the sample site before resampling, therefore they were feel of bacteria

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Mud Creek Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Proof of Publication

State of Mississippi, County of Union PERSONALLY APPEARED before me, the undersigned a notary public in and for UNION County Mississippi, the Muster of The New Albany Gazette, a newspaper published in the City of New Albany, Union County, in said state, who, being duly sworn, deposes and says that the NEW ALBANY GAZETTE is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a copy, in the matter of Cause No. ____times consecutively, has been made in said newspaper_____ to-wit: On the_ On the _____day of____ _____day of__ On the_ _day of__ Chancery Clerk & Ex Officio Notary Public SWORN TO and subscribed before The My Commission Expires January 2, 2012 son for COUNT TOP COUNTY IN RECEIVED OF __ payment in full of the above account. THE NEW ALBANY GAZETTE

By T. Wayn Michell

New Albany, Miss., June 16, 20/5 To THE NEW ALBANY GAZETTE Dr. Re: Publishing _____

Cause No.

Amt. Due \$_____

PROOF OF PUBLICATION

STATE OF MISSISSIPPI PONTOTOC COUNTY

					in and for the Stat who being duly s		
and the second s	_	and the second s			wno being duly s IOGRESS,publish		en e
	The state of the s	was publisher o /, Mississippi, at	A CONTRACTOR OF THE PROPERTY O		IOGRESS, publish	ied at	
r ornotoc, r c							
	Wal	es Qu	ally	Depo	\mathcal{N}_{I}		
			0.1	γ	e he daga ke he	en e de la companya	•
			A CONTRACT OF THE CONTRACT OF		The second secon		
was publishe	ed and that sai	d notice was pul	blished in said	d paper			
Achanathi	timas as fallai		TOTAL STATE OF THE	Monthly Author Company	The state of the s		
consecutive	times, as follow	NS:					
	Volume	82	. Number	23	on the		
		/ /	Alternative and a second mention	a designation of the second of the second			
		day of	June	, 2010			
	Volume		_, Number		, on the		
		day of		2010			
			不到 海道 有多 化糖剂剂				
		day of		, 2010			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	Volume		Number		on the		
particular de la companya del companya del companya de la companya del la companya de la company	عايلا شعابينيات	The second secon		Salar Sa	an kana da Likulan Lebi di Anga	Andrew State Comments of the C	en e
Augusto Company de la comp de la company de		day of		, 2010			
	Volume		_, Number		, on the		
				不可能的 机氯化镍	an taking kanggapan sa taga na ng si ing k		
		a firstig Breatailai aid	in Paratitation and the paragraphic	to the spreadure from		The second secon	and of Articles
	Volume		,Number		, on the		
		day of		, 2010			
Affiant further d	enosed and said	that said newsna	nor THE DON	FOTOC DDC	GRESS, has been e		
					ext prior to the date o		
					vspapers publishing		OF Misses
					oi, enacted in regular		E ANN BROOKS
sion in the year						10/0	15.10
Dro.,	1 - 11	(10.)	ور دی همان این از در این			★ Co.	ID NO. 34013 Mmission Expires
great	xa v	WW.	<u> </u>	ublisher		00	ctober 13, 2011
Sworn to and si	ibscribed before	me this	Ď	-day of	A STATE OF THE STA	1.00	Apy aug C
		2010	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1				TOC COUNTY
			()	2 1()1	$\int \int \int dx dx$	· * * * * * * * * * * * * * * * * * * *
			Horace 1	nai	Divoryto	Jry -	
Printers fee \$			J		Notary Public	0	